Mr. T. Krishna Pillai: Sir, the President of the Kerala Hindu Mission himself went to the hospital and he actually sent a petition to the Government. How is it denied then ?

President: I suppose that there are certain appartenances in the Secretariat for filing letters, petitions and other documents received. Normally, every paper received in the Secretariat comes in its perambulations up to the Chief Secretary and in most cases up to the Dewan. The Secretary in charge says that he has not got the petition. What is the honourable member's suggestion ? If by any chance it is lost, another petition may be sent and that will be considered.

Mr. Kottoor Kunjukrishna Pillai (*Quilon* cum *Kunnathur*): Sir, May I know from the Secretary whether it is a petition or a recommendation that the President of the Hindu Mission sent ?

Mr. P. Paramesvaran Pillai: Government have seen neither a petition nor any recommendation.

Mr. Kottoor Kunjukrishna Pillai: May I know whether it is a verbal recommendation ?

President: What has the President of the Kerala Hindu Mission got to do with the Vaidyasala at Mannanthalai, Trivandrum. What is the point ? I do not see.

Mr. P. Paramesvaran Pillai: Sir, petitions are received from hundreds of people urging the need for giving grants-in-aid to particular Vaidyasalas. Such petitions ... ...

President: Is the honourable member who is now on his legs quite sure that no such petition has been received ?

Mr. P. Paramesvaran Pillai: Yes, Sir.

President: Very well.

Tanks in Vilavancode Taluk.

82. * **Sahib Bahadur M. Sultan Muhiadheen** (*Trivandrum and Nedumangad* cum *Chirayinkil*): Will the Government be pleased to lay on the table a list of irrigation tanks improved during the current year in Vilavankod taluk ?

Mr. S. Sesha Aiyar (*Deputy Chief Engineer*): The required list is laid on the table.

Chimney at the Government Ceramic Factory at Kundara.

83. * **Mr. G. Narayana Aiyar** (*Parur, Kunnatnad and Muvattupuzha* cum *Devicolam*): Will the Government be pleased to state :

(*a*) whether it is a fact that there are cracks in the chimney put up at the Government Ceramic Factory at Kundara ; if so, who was in charge of the construction of the chimney ;

Vide Appendix I page 492.

LIBRARY ARCHIVES Kerala Legislative Assembly

Appendix I.

Vide **Answer to Question No. 82.**

List of tanks improved in the Vilavancode taluk.

1.	Improvements to Mullaserikulam in Palungal pakuthi	Completed.
2.	Improvements to Thamarakulam in Arumana pakuthi	do.
3.	Do. Makizhakulam in Palungal pakuthi	do.
4.	Do. Parapparakulam in Arumana pakuthi	do.
5.	Do. Parakkottukulam, Palungal pakuthi	Almost completed.
6.	Do. Erathayoorchirakulam in Vilavancode pakuthi	do.
7.	Thattarakulam in Edacode pakuthi	do.
8.	Venganamkottukulam in Pacode pakuthi	Work started.
9.	Improvements to Kattukulam in Vilavancode taluk	Almost completed.
10.	Kurakottukulam in Pacode pakuthi	do.
11.	Vikramonkulam in Pacode pakuthi	do.
12.	Nedumkulam in Arumana pakuthi	do.
13.	Thengilkulam in Vilavancode pakuthi	Work started.
14.	Kamblikulam in Arumara pakuthi	Work in progress.
15.	Melurkulam in Methukummel pakuthi	Completed.
16.	Thazhakulam in Pacode pakuthi	Work in progress.
17.	Kallikottukulam in Methukummel pakuthi	Completed.
18.	Muthuvalloorkulam in Vilavancode pakuthi	do.
19.	Thottiyankattuparakulam in Pacode pakuthi	Work in progress.
20.	Kurakottukulam in Edakode pakuthi	Completed.
21.	Chakranalloor tank in Kaliel pakuthi	do.
22.	Improving Amslkulam S. No 864 Painkulam pakuthi	Works in progress.
23.	Do. Pudukulam S. No. 4105 Nattalam pakuthi	do.
24.	Do. Kalthakulam S. No. 566 do.	do.
25.	Do. Mannankuzhikulam in S. No. 529 of Killiyoor pakuthi	do.
26.	Do. Erayankottukulam S No. 4932/A Nattalam pakuthi	do.
27.	Do. Eluppakulam S. No. 199/2 in Midalam pakuthi	Completed.
28.	Do. Mannankulam S. No. 133 in Midalam pakuthi	do.
29.	Do. Allenkulam in S. No. 1636 in Killiyoor pakuthi	In progress.

LIBRARY ARCHIVES Kerala Legislative Assembly